the Corian® book



corian

Index

INTRODUCTION

	Seamlessness as an agent of liberty	5
Possibilities		
Food	Nourishing the senses	6
Water	Full immersion	14
Living	Experience warmth and simplicity	20
Look out	Inside out	26
Malleable	Virtual to real	32
Light	Enlightened translucency	36
Skin decoration	The sense of touch	40
Interaction	Intelligent surfaces	46
Know-How		
Index		51
What is Corian®?	Key characteristics	52
Production	DuPont™ Corian® product description	54
Fabrication & finishing	Different ways to create	58
	Basic fabrication techniques	60
	Advanced fabrication techniques	61
	Basic guidelines for designing	65
Specific applications	Vertical surfaces	66
	Exterior use	68

Flooring

Installation & maintenance

Copyrights

Credits		74

70

Contacts

80

BEYOND THE LIMITS OF SHAPE

Egypt goes design with DuPont™ Corian® "The Endless Nile table" by Karim Rashid




www.corian.com



Seamlessness as an agent of liberty

The creative landscape has changed as design increasingly becomes a fusion of ideas, material, technology, and the environment. Aesthetics and functionality harmonise with a powerful awareness of the body and how it interacts with this brave new world. Smooth transitions flow between art, architecture and design and each medium must be able to adapt, progress and evolve with time.



ARCHITECTS and **DESIGNERS** are the key to a seamless link between nature, technology and aesthetics, for both interiors and exteriors. Long-lasting, hygienic, durable and elegant, the three-dimensional formability of DuPontTM Corian® has been freeing innovative artistic minds for over 40 years.

The hallmark of great cuisine, according to the most illustrious chefs, is a marriage of inspiration, talent and the finest ingredients. As food is transformed in the hands of a true culinary artist, so raw materials such as DuPont™ Corian® can take exceptional form through the vision of architects and designers.

Clean, pure, tasteful.

Strength and durability

The **LINEAR LINES** of "Evonoma" kitchen, a creation by designer Peter Ravbjerg, convey the purity of the ensemble, further accentuated by the smooth and fascinating silk-like touch of Corian®. The absence of visible seams contributes further to the sense of unity expressed by this creation.



The WARM-TO-THE TOUCH FEELING of

this material immediately inspires a sense of confidence and reliability, and rightly so as the hygienic, durable and functional properties of Corian® make it ideal for all those realms where food is king. Manipulating colour, texture and shape is central to creating an appealing sensory ensemble, both on the plate and around it.

Non-porous, non-toxic, resistant and repairable: what else is needed to create a modern, elegant and practical food area?





For recommended colours for kitchen, please visit our web: www.corian.com

"Although the material is extremely tough and highly resistant, it exudes softness and beckons one to touch. This synergy is perfectly reflected in the island's rounded angles." HOFMAN DUJARDIN ARCHITECTEN

Seamless shapes

CREATIVITY HAS NO LIMITS. A modern island completely "outside the box", is characterised by gentle curves, pristine white DuPontTM Corian®, minimal appliances and fittings. Surrounded with space to let it shine in the limelight, staged against pared-down background to emphasise its pure lines.






A kitchen centrepiece

THE FORMAL SPATIAL LINES of Pietro Arosio's creation exalt three important qualities of Corian®: A SEAMLESS LOOK, its ability to be formed into any size or shape and, critically important for culinary exploration and enjoyment, superb hygienic properties. This is the "Solaris"kitchen by Ernestomeda – a practical solution where just the essentials for food preparation and cleaning form the centrepiece of the design.







THE CONTRAST BETWEEN SHINY AND MATT white surfaces draws travellers to this coffee bar, Acafè in the Roma Termini train station, as do the ribbon like structure and seamless transitions from the structural to the functional.

DuPont™ Corian® effortlessly metamorphoses into the counter, body and canopy throughout its 24 meters, providing a safe haven for customers to enjoy a coffee and a sandwich in a protected, sheltered environment. The fluidity of the Acafè's design, by Colli & Galliano architetti, emphasises its spatial volume and transforms the area into a social environment.

The longest countertop made of DuPontTM Corian®

The luxurious Adam & Eve Hotel in Turkey features an 84.7 meter-long countertop disappearing into the distance, proving that designers can truly **STRETCH THEIR IMAGINATION** to provide elegance and functionalism for a convivial atmosphere.







Contrast by DuPontTM Corian®

Dornbracht personifies the **ARCHITECTURAL POTENTIAL** for sanctuaries dedicated to cleansing rituals, offering string cubic shapes that bring elegance to the technical and functional. Design by Sieger Design.





Seamless transition

"Orca" by Rapsel is smooth and seamless without a hitch. This washbasin demonstrates how DuPont™ Corian® enables a designer to organically **COMBINE**2 DIFFERENT COLOURS INTO ONE SLEEK
SHAPE. Two colours, one harmonious object. Design by Thomas Sandell.

Please discover our collection of Corian® basins and bowls on the web: www.corian.com



THE ORGANIC FEELING of DuPont[™] Corian®, coupled with a seamless look, fluid design and a broad range of colour



Colourful, versatile and exclusive

Experience Warnathand Simplicity



The perfect balance

The "Shadow" chaise longue, designed by Christian Ghion for Cappellini, combines the wonderful malleability of $DuPont^{TM}$ Corian® with its rigidity into a rare pure balance.












The possibility to **EMBED GRAPHIC DESIGNS** into DuPont[™] Corian[®] also applies when the material is used to develop outside cladding

solutions, such as in this creation "The Flower Tower" by the Lorenz*Kaz design studio.

Walls get a new meaning

Z. Island by DuPontTM Corian® - With its **TRANSLU-CENT AND MALLEABLE** properties, Corian® can be easily moulded to create the desired effect for any kind of environment or atmosphere. A wall becomes the perfect canvas for creating a 3D expression of light, shape and texture. Design by Zaha Hadid.



Innovative, durable, irresistible

Inside out

Whether for exterior cladding or interior decoration, using DuPont™ Corian® on vertical surfaces enables designers to opt for pure, clean and innovative lines with almost no limitation with regard to shapes and angles. Dealing with that most basic need of all, shelter, has entered a new era.

WEATHER NO LONGER HAS AN IMPACT

The weatherproof qualities of Corian® means that it can be used as cladding solution for a building's exterior as well as for its interior.

Shape **DOES MATTER** Flexibility is the leitmotiv of Corian®, and as such imaginations can run wild.

Pure white cladding contrasting with the clear blue sky? Why not? It is putty in the designer's hands.

"We were impressed by this noble and rich material from DuPont, which enabled us to depart from traditional façade cladding systems,"

SAYS JEAN-CHRISTOPHE MASNADA

THE KING KONG ARCHITECTURAL OFFICE.



A Corian® skin

Seeko'o Hotel in Bordeaux conjures up images of an iceberg.


The MONOLITHIC EFFECT and subtle sculptural language was achieved through a world first, the innovative use of DuPontTM Corian® as an exterior cladding element.





Bright curved walls

The "Rendez-vous Toyota" showroom used close to 400 square meters of DuPont™ Corian® in its Champs Elysées location to express its brands through **ARCHITECTURE AND LIGHT.** Approximately 1000 LEDs were embedded in the walls to provide an immaterial feeling within the space and to give visitors the impression of a fluid environment. Design by Ora-Ito.







Chantal Thomass used DuPont™ Corian® in its flagship store to create a visual and tactile perception that is both **BRIGHT AND WELCOMING**. The cameo white hue works together with the lighting to create an inviting ambience while the elaborate quilting effect on the material turns the panelling into a work of art. Design by Christian Ghion.



Linking the sun with the clouds

DuPont™ Corian® has been chosen by Amanda Levete for an installation that is dramatic both in **IMAGINATION AND SCALE**. Located on the Southbank outside

SCALE. Located on the Southbank outside the Royal Festival Hall, it takes the form a curving "wall" 8.5m wide x 19.5m long x 4.4m high made up of approximately 220 interlocking, thermoformed "leaves" made of DuPont™ Corian®.





The sunny side of Corian®

The "Tandem" collection, designed by Thomas Sauvage for Ego Paris, is a brilliant illustration of the **VERSATILITY** offered by DuPont™ Corian®, which enables designers to use the material for design elements as well as for furniture, both for indoors and out. The broad pallet of colours and almost endless shaping possibilities provide furniture designers with massive creative scope.











Imagination **UNBOUND** materialises through these sculpted works where the malleability of the mind meets the fluidity of DuPont™ Corian®.

Morphing IN 3 DIMENSIONS to give meaning to shape, and shape to meaning. Corian® is a blank canvas yearning to be shaped by the designer's hands and mind.

though in conversation, with a cutaway

for graphics and lighting behind.

Just as a sculptor shapes noble materials into an objet d'art, so can the designer shape the blank slate that is Corian[®] into a wide array of purely artistic or practical forms.

derea, un Poetry in DuPontTM Corian® Ron Arad presented concepts for a potential design for an "Upperworld" hotel in a renovated Battersea Power Station, using Corian® to convey his ideas. Two large **UNDULATING** pieces of DuPont™ Corian® face each other, as




Philip Nash designed "the Gavin Jones Garden of Corian®" for the Chelsea Flower Show. This is **A STYLISH SYNTHESIS** of flora, natural elements and man-made ingenuity that takes full advantage of the sinuous formability, stone-like strength, intriguing colors and petal-silky finish of DuPont™ Corian®.





Neverending flexibility

Luca Nichetto created this design, which clearly epitomises the **FLEXIBILITY AND MALLEABILITY** of DuPontTM Corian®.



Enlightened translucency

The translucent properties of DuPont™ Corian® are particularly well suited to designers who want to add the element of light to their creations. Now is truly the time for bright ideas!

Look INTO THE SOUL OF CORIAN®

and see its boundless potential shine through. The wide range of available colours means that something can be found for every mood or environment.

THE LIGHT IN THREE DIMENSIONS.

Light is cool

The ease with which Corian® can be formed into various shapes allows designers to create luminous objects featuring an endless range of surface effects that are anything but superficial.

Bright ideas find their shape


Missoni has teamed up with Corian® to express **THE DESIGN VERSATILITY** of the material for use in the kitchen, bathroom and dining and living areas. These creations showcase the extensive **COLOUR RESEARCH** for Corian® solid surfaces and the effects and combinations that this makes possible.



Please discover the 100 Colours of Corian® on our web: www.corian.com







Folded light

Medusa, or the jellyfish, inspired these lamps made of Corian®. With **SWOOPING CURVES** and beautiful SANDBLASTED PATTERNS on the interior, the organic feel of these lamps is striking. Design by Claudia Carrasco.



A clinic in Taiwan designed by Michael Young and Katrin Olina Young features intricately designed **BACKLIT WALLS** in DuPont™ Corian® to create a quiet yet refreshing ambiance.

The comfort of light

Borlind Spa showcases the innovation and plasticity offered by Corian®, as well as its advantages as a NON-POROUS MATERIAL, which is a major asset for areas requiring high levels of hygiene. Design by Burk Architekten.

<u>S</u>

Noble graffiti

GS Tessuti Showroom features
Corian® in almost every application,
for example in the cladding, the
furniture and the floor. One of the
walls in Corian® has been decorated
by **SUBLIMATION**, a state of the art
technological solution.

Atelier: design by Architect Nicoletta Bertolissi - Soft and floral décor for the wall paneling: design by Tord Boontje (courtesy of Moroso)



The **TACTILE SKIN OF CORIAN®** naturally draws the human hand. The smooth, enticing surface is pleasant and warm to the touch and the multitude of colours and designs that can be created only add to the attraction.

Make **YOUR MARK** with the smooth texture of DuPont[™] Corian® and entice others to share in your inspiration by touching their emotions and appealing to this basic human need.

Inviting, personalised, structured

Warmth and light welcome you to an environment which goes beyond merely seeing. The many surface treatment and endless design options made possible by DuPont™ Corian® take the spectator to another level by encouraging physical contact.



Tapestry in Corian®

Lissoni translated the design of the Elie Tahari store into over 56 square meters of **TRANSLUCENT** Corian® featuring a non-repeating routed pattern. A 23 meter long backlit wall of carved translucent DuPont™ Corian® evokes a series of large floral vines.



These dreams start growing


Foliage by llaria Marelli is a place to get lost in dreams. This bed made of Corian® features an **ELABORATED** headboard and structure with branch and leaf motifs which invite you to sit or lay down and relax.



Table decoration


Moroso Bon Bon coffee tables in DuPont™ Corian® in an assortment of shapes and sizes highlight **GRAPHIC DESIGNS** applied using sublimation technology.

Design by Tord Boontje.



circle and outer ring rotate like a "lazy Susan", the top features this striking pattern, and has been machined in order to emphasise the **THREE**-**DIMENSIONAL NATURE** of DuPont™ Corian®: carved into translucent $\mathsf{DuPont}^\mathsf{TM}$ $\mathsf{Corian}^{\texttt{@}}$ glacier ice, the pattern is filled with black resin, giving it a "jelly-





Communicate WITH THE WALL OR THE **FURNITURE** for cooking or heating. An interface between man and material. Keep IN TOUCH with smooth, pleasant surfaces made of DuPont™ Corian®.

Intelligent, direct, responsive



The future of cooking

The elegant, fluid and MONOLITHIC SHAPE of Z. Island by DuPont[™] Corian® by Zaha Hadid is completely original. This futuristic kitchen environment in DuPont™ Corian® features information technology solutions as well as light, sound and aroma devices.








Interactive heating is cool

Jaga has created an interactive radiator using DuPont™
Corian® for the front panel, which features an **LED TEMPERATURE DISPLAY**. Design by James Davis.





Smart tables to play with

Electric Kid is the result of the insatiable imagination of Moritz Waldemeyer and a predilection for DuPont™ Corian®, LEDs, furniture, home entertainment and product design. ENTERTAINMENT MEETS FUNCTIONALITY.



Know-how

MANIPULATE THE LIMITS OF SHAPE

Index

WHAT IS CORIAN®?		52
The Composition of DuPont™ Corian®		52
Key characteristics	Resistant	52
	Hygienic	52
	Repairable	52
	Non-toxic	53
	Versatile	53
	Thermoformable	53
	Translucent	53
	Workable like wood	53
	Environmentally friendly	53
PRODUCTION		54
DuPont™Corian® product description	Sheet sizes and colours	54
	FR colours (EN 13501-1)	54
	Sheet optimisation	54
	Corian® joint adhesive and Corian® silicone sealant	55
	DuPont™ Corian® shapes	55
	Standard thermoformed shapes	56
	Custom shapes	56
	How to specify DuPont™ Corian®	56
	Performance properties of DuPont™ Corian®	57
FABRICATION & FINISHING		58
Different ways to create	Moulding	58
Basic fabrication techniques	Cutting	60
	Seaming	60
	Sanding	60
Advanced fabrication techniques	Thermoforming	61
	Inlays	62
	Sublimation	62
	Translucency	63
	Texture (CNC/bas-relief techniques)	65
	Sand blasting	65
Basic guidelines for designing with DuPont™ Corian®	Thermal expansion	6-
SPECIFIC APPLICATIONS	Thermal expansion	65 66
	Interior wall cladding	66
vertical surfaces	Exterior wall cladding	67
Exterior use		68
Flooring	Colour selection recommendations for exterior use	69
		70
INSTALLATION & MAINTENANCE		
INSTALLATION & MAINTENANCE Installation		
Installation	Daily care	70
		70 70
Installation Maintenance	Abuse	70 70 70
Installation	Abuse Heat	70 70 70 71
Installation Maintenance	Abuse Heat Scratches	70 70 70 71 71
Installation Maintenance Recommendations	Abuse Heat	70 70 70 71 71 71
Installation Maintenance Recommendations Quality Network	Abuse Heat Scratches	70 70 70 71 71 71 72
Installation Maintenance Recommendations	Abuse Heat Scratches	70 70 70 71 71 71

What is Corian®?

COMPOSITION OF DUPONT™ CORIAN®

DuPontTM Corian® is a solid, non-porous, homogeneous surfacing material composed of \pm 1/3 acrylic resin (also known as PolyMethyl MethAcrylate or PMMA) and \pm 2/3 natural minerals. The main mineral is Aluminium TriHydrate(ATH) derived from bauxite, an ore from which aluminium is produced. For more information on the composition of the material, please consult the DuPontTM Corian® Material Safety Data Sheets (MSDS) available at http://msds.dupont.com or from your local supplier.

KEY CHARACTERISTICS

RESISTANT

Since its introduction in 1967, DuPont™ Corian® has proved itself to be a remarkably durable material that is easy to live with. It cannot delaminate and stands up well to daily wear and tear. It resists most of the impacts, nicks and cuts that occur in heavy traffic areas. DuPont™ Corian® has been tested for its mechanical, thermal, electrical and other surface properties. Results of these specific tests as well as details on the other physical properties of DuPont™ Corian® can be consulted on page 56 in the "PERFORMANCE PROPERTIES" section of this book.

HYGIENIC

DuPont™ Corian® is a non-porous material. It is solid through its entire thickness and can be fabricated with inconspicuous seams, rendering its surface hygienic. DuPont™ Corian® surfaces do not support the growth of bacteria or fungi. DuPont™ Corian® has been certified by an independent laboratory as a hygienic material according to the international norm DIN EN ISO 846.

REPAIRABLE

Surfaces in DuPont[™] Corian® are renewable, meaning they can be fully restored with ordinary mild abrasive cleansers and a scouring pad. Cigarette burns, for example, can be easily removed in this way. Damage caused by abuse can usually be repaired on site without having to completely replace the material.

NON -TOXIC

DuPontTM Corian® is an inert and non-toxic material. Under normal temperature conditions, it does not emit gases. When burned, it releases mainly Carbon Oxides and the smoke generated is optically light and does not contain toxic halogenated gases. Because of these properties, DuPontTM Corian® is used in public areas and for sensitive applications such as airport check-in counters, walls and work surfaces in hospitals and hotels.

VERSATILE

The applications for DuPontTM Corian® are limited only by your own imagination. Pieces of DuPontTM Corian® can be glued together inconspicuously to create a seamless look, giving virtually unlimited design possibilities for surfaces. Long counters, for example, can be easily made in pieces in a workshop and then joined together at the installation site. Edges can be built up to look thicker.

THERMOFORMABLE

DuPont™ Corian® can be thermoformed in wooden or metal moulds at controlled temperatures in order to create various 2D and 3D design objects. Embossing effects can also be created using the Bas Relief technique.

TRANSLUCENT

The translucency of DuPont™ Corian® is especially striking in the lighter colours as well as with thinner sheets. Many designers are now using the material to create lamps or lighting effects in various applications. The new colour family, called the Illumination Series, consists of 6 colours in 6 mm and 12.3 mm sheets featuring enhanced translucency to be used for creating special lighting effects.

WORKABLE LIKE WOOD

DuPont[™] Corian[®] can be worked like hardwood and using similar tools. Most DuPont[™] Corian[®] fabricators originally trained as carpenters.

ENVIRONMENTALLY FRIENDLY

DuPont™ Corian® is manufactured in compliance with strict standards in order to limit waste and energy consumption at all stages of the production process. Both the material itself and the adhesives and sealants used to install it are GREEN GUARD Indoor Air Quality Certified® as producing low VOC emissions.

DuPont[™] Corian[®] is manufactured by DuPont as sheets and pre-formed shapes in three plants located in the USA, Japan and Korea. DuPont[™] Corian[®] sheets are produced

on continuous casting lines and DuPont™ Corian® shapes are produced through

polymerization inside metal moulds using a continuous manufacturing process.

DUPONT™ CORIAN® PRODUCT DESCRIPTION

SHEET SIZES AND COLOURS

DuPont[™] Corian[®] is available in various standard thicknesses and is easily cut to size by professional fabricators. All colours in the standard colour palette are available in 12.3 x 760 x 3658 mm sheets. A number of these colours are also available in various other sizes. Standard dimensions of DuPont[™] Corian[®] sheets are:

4 mm sheet	930 x 2490 mm	
6 mm sheet	760 x 2490 mm	930 x 2490 mm
12.3 mm sheet	760 x 3658 mm	930 x 3658 mm
19 mm sheet	760 x 3658 mm	

FR COLOURS (EN 13501-1)

Sheets can also be supplied in an FR grade, which is more resistant to fire for applications in public areas and for cladding projects, according to norm EN 13501-1, classified as B - s1, do. Regular DuPont™ Corian® colours are classified as C - s1, do.

SHEET OPTIMISATION

The final cost of DuPont™ Corian® fabricated products may be influenced by material wastage. In order to reduce costs, DuPont suggests that sheet optimisation be taken into consideration during the design process.


Production

CORIAN® JOINT ADHESIVE AND CORIAN® SILICONE SEALANT

DuPont[™] Corian® joint adhesive and DuPont[™] Corian® silicone sealant are produced in a range of specific colours to co-ordinate with DuPont[™] Corian® sheets and shapes. In order for the DuPont 10-Year Limited Installed Warranty to apply, all DuPont[™] Corian® seams must be bonded with DuPont[™] Corian® joint adhesive.

DUPONT™ CORIAN® SHAPES

A wide range of DuPontTM Corian® shapes created using cast moulding technology is available in 4 solid colours for custom integration with DuPontTM Corian® sheets in order to create a single, continuous surface. This includes vanity basins in solid colours for bathrooms, single and double sinks for kitchens, bars, small wash-up areas, hospitals and laboratories. Bonding DuPontTM Corian® shapes into sheets does not create any rims that might trap dirt or water, minimises cleaning and maintenance and provides improved hygiene. Care, maintenance and installation instructions are included in the packaging. Appropriate accessory products, including installation hardware, are available and recommended for residential kitchens only.



Please discover our collection of Corian® sinks and bowls on the web: www.corian.com

PERFORMANCE PROPERTIES OF CORIAN® PRODUCTS

PROPERTY	TEST METHOD	TYPICAL RESULTS		UNITS	*
		6 mm sheet	12.3 mm sheet		
Density	DIN ISO 1183	1.73 – 1.76	1.68 – 1.75	g/cm³	1
Flexural modulus	DIN EN ISO 178	8920 – 9770	8040 – 9220	MPa	1
Flexural strength	DIN EN ISO 178	49.1 – 76.4	57.1 – 74.0	MPa	1
Elongation at break	DIN EN ISO 178	0.58 – 0.94	0.76 – 0.93	%	1
Compressive strength	EN ISO 604	178 – 179	175 – 178	MPa	1
Impact resistance (spring load)	DIN ISO 4586 T11	> 25	>25	N	1
Impact resistance (ball drop)	DIN ISO 4586 T12	>120	>120	cm	1
Surface hardness (Mohs index)	DIN EN 101	2-3	2-3		1
Resistance to surface wear	DIN ISO 4586 T6	63 – 75	58 – 63	Lost weight mm³/100 rev.	1
Resistance to boiling water- increase in weight	DIN ISO 4586 T7	0.1 – 0.7	0.1 – 0.3	%	1
Resistance to boiling water- surface change	DIN ISO 4586 T7	No visible change	No visible change		1
Dimensional stability at 20°C	DIN ISO 4586 T10	₹0.16	₹ 0.16	% change in length	1
Resistance to dry heat-180°C	DIN ISO 4586 T8	4-slight change	4-slight change		1
Lightfastness (Xenon arc)	DIN ISO 4586 T16	>6	>6	Blue wool scale	1
Anti-slip properties-with 100 mm grit	DIN 51130:1992-11	5.8° – do not pass R9 requirement (6° min)		° angle	2
Anti-slip properties-with 120 mm grit	DIN 51130:1992-11	7.6° – pass R9 requirement (6° min)		° angle	2
Anti-slip properties-with 150 mm grit	DIN 51130:1992-11	8.1° – pass R9 requirement (6° min)		° angle	2
Resistance to bacteria and fungi	DIN EN ISO 846	Does not support microbial growth			3
Electrostatic surface behaviour	DIN IEC 61 340-4-1		> 1 X 10¹²	W	4
Calorific potential	NF EN ISO 1716		9.15	KJ/g	5
Smoke index	NF F 16-101	Class Fo	Class Fo		6
Reaction to fire	NF P 92-501	Class M2	Class M2		7
Reaction to fire (Corian®)	EN 13501-1:2003	Euroclass C –s1, do	Euroclass C –s1, do		8
Reaction to fire (Corian® FR)	EN 13501-1:2003		Euroclass B –s1, do		8
Fire behaviour (Corian® FR)	DIN 4102-1		Class B1		9
Fire tests (Corian® FR)	BS 476 part 6 & 7		Class o		10
Fire testing - railroad vehicle	DIN 54837		S4, SR 2, ST 2		11
Smoke toxicity	DIN EN ISO 5659-2		Pass		12

- $(1)\ test\ report\ Q\ IWQ\ MBL\ 733\ 1785-1\ (for\ classification\ according\ to\ DIN\ EN\ 438\ part\ 1\ \&\ 7)\ from\ LGA\ -Germany/04-2004$
- (2) test report BMW 0411048-03 from LGA-Germany/03-2004
- (3) test report 5642219 from LGA-Germany 03/2004
- (4) test report EMA-SMG-814 1131 IWQ-MBL 734 1109 from LGA-Germany/03-2004
- (5) test report 11624-04 from SME/SNPE-France/03-2004
- (6) classification reports 11631-04 & 12260-05 from SME/SNPE-France/03-2004 & 05-2005
- (7) classification reports 11625-04 & 12261-05 from SME/SNPE-France/03-2004 & 05-2005
- (8) classification reports ES131024 & ES131025 from Warrington Fire Research-UK/03-2003
- (9) test report 230005623 from MPA NRW-Germany/2006
- (10) test reports 154054 & 154053 from Warringtonfire-UK/06-2006
- (11) test report P60-08-0018 (classification according to DIN 5510-2) from RST-Germany/01-2008 $\,$
- (12) test report P60-08-3107 from RST-Germany/02-2008.

STANDARD THERMOFORMED SHAPES

Sinks and bowls in different shapes and dimensions created by thermoforming and bonding together pieces of DuPontTM Corian® are available in all colours. A number of independent companies manufacture and distribute these shapes through the Quality Network. This enables architects and designers to achieve particular aesthetic effects, such as unbroken colour continuity for an entire work surface. Thermoformed shapes made with DuPontTM Corian® and shapes resulting from an additional production process on the DuPontTM Corian® sheet are not covered by the DuPont Warranty. For the full range of shapes, please contact the DuPontTM Corian® hotline, the details of which are on the back cover.

CUSTOM SHAPES

Thanks to their extensive experience in DuPont™ Corian® fabrication, most Quality Network fabricators can make practically any shape specified by designers by thermoforming and joining together pieces of DuPont™ Corian®. These custom shapes, however, are not covered by the DuPont Warranty.

HOW TO SPECIFY DUPONT™ CORIAN®

Five points to remember when specifying DuPont™ Corian®:

- 1 Specify product manufacturer: Corian® is made only by DuPont.
- 2 Specify nominal thickness: 12.3 mm for horizontal applications or 6 mm for vertical applications. For special thicknesses, please contact your DuPont™ Corian® representative.
- 3 Specify exact colour(s) by name. Please visit our website at www.corian.com
- 4 Specify code references and colours: be sure to specify the exact code references and the colours of bowls and sinks (e.g. 810 S cameo white). Please visit our web site at www.corian.com
- 5 Specify fabrication and installation: to ensure that the fabrication and installation of your job meet the requirements for the DuPont 10-Year Limited Installed Warranty, specify that the work must be carried out by a DuPont Authorised Quality Network fabricator.

Fabrica tion & finishing


A DIFFERENT WAY TO CREATE

The process below illustrates how DuPont™ Corian® can be transformed from sheets into, for example, an innovative speaker mounting system. It can be clearly seen here that creating with DuPont™ Corian® is an exercise of both craftsmanship and innovation.



Plywood male and female mould





Assembly / construction drawing of the listening shell





Seaming of the quarter piece has been completed and is ready for sanding





Assembly of 2 quarter pieces to half a shell















BASIC FABRICATION TECHNIQUES

DuPont™ Corian® is a material which combines the durability of stone with the workability of hardwood. It is impossible to cover all fabrication techniques in this book, but the following sections describe the most important elements.

CUTTING

DuPont™ Corian® is harder than wood. In order to cut a full sheet to obtain the desired pieces, saws and routers must be powerful enough to work the material properly. Straight cuts are made with a circular saw with carbide-tipped or diamond-tipped teeth. Curved cuts are made with manual routers or with numerically controlled routers (CNC), depending on the number of identical pieces that need to be cut. Rounded inside corners are routed in order to prevent cracking. Router bits must have tungsten carbide tips.

SEAMING

All the edges of the pieces to be joined must be straight, square and thoroughly cleaned using ethanol on a clean white cloth before applying adhesive. Two-component DuPont™ Corian® joint adhesive in the appropriate matching colour should be used to obtain inconspicuous seams - one of the key features of DuPont™ Corian®.

SANDING

Surfaces are sanded with a random orbital sander following the "North-South, East-West" direction using small circular motions. Sanding is to be done in several steps from rough to fine grades of sandpaper.


The finish can be varied from matt to high-gloss, depending on the effect the designer wishes to obtain. DuPont suggests a semi-matt finish, which is the easiest finish to obtain and maintain. High-gloss finishes tend to dull over time, especially in areas which see intense use.



ADVANCED FABRICATION TECHNIQUES

THERMOFORMING

DuPont™ Corian® can be thermoformed using plywood or metal moulds at temperatures of approximately 160°C. DuPont™ Corian® may be formed up to an internal radius starting at 25 mm with two dimensional thermoforming, depending on the thickness and the colour of the sheet. Even cooling in the mould will prevent residual stresses and provide superior results. Thermoformability differs depending on the saturation or particle loads in the sheet.



Translucent effects can be obtained via the use of translucent colours or by reducing the thickness of standard DuPont™ Corian® colours.

THE ILLUMINATION SERIES

TRANSLUCENCY

The colour effects from these materials change dramatically when backlit. When the lighting system behind your design is turned on, the pastel appearance disappears and the appearance is dominated by the aesthetics of the light source. Be creative! Test each one of these with different types of light sources to see the many variations and shades of white light and the effects using coloured light. You will be amazed by the possibilities!

Daylight/ Daylight	Tungsten/ Daylight	Warm White/ Daylight	Daylight/ Tungsten	
J			D	Blueberry ice
7	7	7	7	Glacier ice
7	7	7	7	Lime ice
	J		D	Mint ice
1	7	7	1	Strawberry ic





Inlaying DuPont™ Corian® with different materials or with different colours of DuPont™

metals because of their high thermal expansion coefficients. Logos can be easily created

Corian® can enhance the inherent beauty of the material. Various inlay materials are

compatible with DuPont™ Corian®. DuPont suggests avoiding large inlays containing

Known as "image transfer by sublimation", this technique allows designers to

for enhancing creative expression by designers, engineers and architects.

personalise DuPont™ Corian® in a completely new way. The sublimation process

consists of transferring images into a sheet of DuPont™ Corian® so that - almost like a

human tattoo - a permanent image is created within the surface. The printed DuPont™ Corian® can then be re-polished and thermoformed in the same way as unprinted DuPont™ Corian®. Image transfer by sublimation is a new tool for communication and

INLAYS

SUBLIMATION

using inlays in DuPont™ Corian®.




TRANSLUCENCY BY REDUCING THICKNESS

In certain colours and thicknesses, DuPont™ Corian® reveals its full radiance and depth when it is exposed to light. This quality lends DuPont™ Corian® not only to the creation of atmospheric room lighting, but also to sensuously-shaped lamps, dramatically illuminated furniture, and screens which reveal an intricately-carved pattern when backlit.


In particular, lighter and solid colours are the best for use in this kind of application. These kinds of effects can be obtained by locally reducing the material's thickness via routing or engraving. For greater light transmission, DuPont™ Corian® can be reduced to a thickness of 2-3 mm to allow more light to pass through. When a specific point of light is required, an integrated LED light source positioned in the back of a hole is a good option. This type of set-up is often used to create a logo or signage.





To obtain a more diffuse effect, the light source is generally installed at a distance (typically 15 cm) from the back of the panel. The routing can be done with a CNC machine in any kind of pattern or design. Playing with varied depths of the routed pattern and creating a 3D relief gives the possibility to create an effect reminiscent of a painting.





TEXTURE (CNC/BAS-RELIEF)

DuPontTM Corian® makes it possible to obtain innovative three dimensional effects, which gives a new perspective to architectural design and home decoration. Creating a 3D texture on DuPontTM Corian® can be done through CNC routing or via basrelief. With the bas-relief technique, the DuPontTM Corian® panel is heated to 160°C and then pressed on a "stamp" with the required pattern.

SAND BLASTING

Just like wood, glass and other materials, DuPontTM Corian® can be sandblasted with different mediums. Playing with the roughness and depth of the blasting can create numerous effects. This technique can be used for signage and wall cladding, or to add dramatic accents to a design piece.

BASIC GUIDELINES FOR DESIGNING WITH DUPONT™ CORIAN®

Perimeter supports are used on the underside of a DuPont[™] Corian® countertop to avoid warping and cracking. The perimeter support strips should be made in moisture-resistant MDF or moisture-resistant plywood. DuPont[™] Corian® countertops are bonded to the support strips using flexible silicone adhesive. Never screw directly into DuPont[™] Corian®. All Internal corners should be radiussed.

The required method for installing square hobs is the high-strength cut-out. This technique has been patented by DuPont and it is the best and most effective way to avoid cracking around hobs. Flush-mounted hob units integrated into a DuPontTM Corian® countertop are covered by the DuPont 10-Year Limited Installed Warranty, provided that the recommended fabrication and installation guidelines have been followed. These guidelines are included in the DuPontTM Corian® fabrication manual, and Quality Network DuPontTM Corian® fabricators have the necessary knowledge to install any type of hob.

THERMAL EXPANSION

The thermal expansion of DuPont™ Corian® is approximately 1 mm per meter with a temperature change of 30°C. Always leave a gap of at least 1.5 mm to allow satisfactory caulk penetration.

Specific applications

VERTICAL SURFACES

INTERIOR WALL CLADDING


Ideal supports for DuPont™ Corian® are:

- Water-resistant gypsum board
- Moisture-resistant plywood
- Moisture-resistant MDF
- Any sound tile surface
- Plasterboard sheeting
- Master board

When covering old tiles, remove all loose and broken tiles. All tiles must be cleaned with clear denatured alcohol prior to fixing DuPont™ Corian® to the surface.


The installation must allow for expansion and contraction, and as a result flexible adhesives should be used.

There are two types of seams for vertical applications:



1. Caulked "V" seam

The caulked "V" seam uses colourmatched Corian® silicone sealant. The face edges are chamfered to form a small "V".



2. Inconspicuous Corian® joint adhesive seam

The standard Corian® joint adhesive seam can be used on large surfaces to create large one-piece sections.


EXTERIOR WALL CLADDING

The design versatility and performance features of DuPont™ Corian® - the availability of different colours and aesthetics, custom colours, textures and finishes, the ability to shape and form the material, and its exceptional durability and renewability - have led a number of architects and designers to use DuPont™ Corian® for exterior applications. These have included street signage and benches, bus stop canopies and shop facades, and more recently even façade cladding. To satisfy this growing interest, DuPont has developed a testing program to evaluate the potential of DuPont™ Corian® for exterior applications. Please contact the local DuPont office for all your questions regarding commercial or residential building façades.

In general, DuPont[™] Corian[®] offers good resistance to UV rays, but certain colours perform better than others in terms of weather resistance and fading. While the physical properties of DuPont[™] Corian[®] are not adversely affected by outdoor exposure, surface gloss can be reduced.


Contrast between veining and background colour may be reduced and slight background colour changes may be observed over time. These changes can be removed by periodic sanding, but this refurbishing step is not always practical, such as in cases where DuPontTM Corian[®] is used for covering large architectural surfaces like building façades. The table on the right-hand page shows which colours are most suitable for exterior cladding.

When using DuPont™ Corian® in exterior applications, it is especially important to mount the material on a substrate or sub-frame using a method that allows for the thermal contraction/expansion of the material.



Overlapped or open joints are located on all panel edges. The joint width depends on the thermal expansion coefficient of Corian® and the panel dimensions. The minimum horizontal width is 16 mm, and the minimum vertical width is 8 mm.





Coloured all the way through, DuPont™ Corian® made-to-measure panels offer easy installation. The C-shaped brackets are attached to inserts embedded in the material. They clip onto the secondary framework every 45 cm. The lifting system has to be designed carefully, as the fixing system allows a tolerance of only 1 cm for attaching each panel to the framework. The panels can be lifted by using a metal frame with suction cups, or by using a movable platform.

COLOUR SELECTION RECOMMENDATIONS FOR EXTERIOR USE

Colour stability is an important consideration in selecting a material for exterior use. Individual colours of Corian® have different levels of colour stability for exterior applications. DuPont has set up a test program in order to better understand the weathering performances of different colours of Corian®.

Testing at the DuPont Weathering Station in Florida was performed in accordance with ASTM G7. Panels of Corian® were exposed facing south at 45° from the horizontal for a two-year period. In certain cases, preliminary colour assessments were made based on accelerated xenon arc light test in accordance with ASTM G155 and Florida exposure testing of comparable Corian® colours. All exposure testing was performed on material with a nominal thickness of 12.3 mm.

Colour changes for both tests were measured with instruments and calculated in units of ΔE (total colour difference) as defined in ASTM D2244. The colours listed on the table below offer good colour stability with a colour change less than or equal to 5 ΔE units over 10 years based on tests carried out according to the ASTM standards described above.

Please contact DuPont for information on the weathering performances of other Corian[®] colours and for further advice on colour selection for exterior use.

COLOUR SELECTION RECOMMENDATIONS FOR EXTERIOR USE						
These colours offer good colour stability with a colour change of less than or equal to 5 ΔE units in 10 years						
abalone	adobe	antarctica	aurora			
aztec gold	beach glass	beige fieldstone	bisque			
blackberry ice	blue pebble	bone	butter cream			
cameo white	caribbean	clam shell	dove			
dusk	eclipse	everest	festival			
fossil	glacier white	gray fieldstone	linen			
night sky	night sky pepper ivory		sahara			
savannah	savannah seashell		tarragon			
tumbled glass	vanilla	venaro white	whitecap			

FLOORING

DuPontTM Corian® can be used as a flooring material in low traffic areas where high abrasion resistance is not required. DuPontTM Corian® is warm to the touch, making it ideal for bathroom floors on which people walk barefooted. This application allows for the possibility of material and colour co-ordination between the floor, walls and vanity tops. The following characteristics make DuPontTM Corian® the perfect material for this specific application: inconspicuous joints to give the impression of a continuous floor with the option of a coved connection between the floor and walls, decorative inlays in contrasting colours, easy maintenance to remove superficial scratches and surface damage.

DuPontTM Corian® can be installed on any flat surface suitable for tiling including dry concrete, moisture-resistant plywood, water-resistant gypsum board, vinyl or even existing tiled floors. If the substrate is not solid and uniform, loose parts must be removed and gaps filled with broken tile and tile adhesive. All surfaces must be steady, horizontal, perfectly flat and clean. Any residue such as dust, oil or wax must be eliminated before starting the installation process. An epoxy adhesive can be used to attach DuPontTM Corian® to the substrate to allow for expansion. To maximise slip resistance, particularly in wet areas, it is recommended to roughen the surface by sanding with 120+ µm grit paper. When fabricating a floor in DuPontTM Corian®, it is important to avoid trapping uncured adhesive, which could weaken the flooring system.

Installation & maintenance

INSTALLATION

It is a condition of the 10-Year Limited Installed Warranty Program that a Quality Network member must carry out the installation. This is due to the fact that the quality of the finished DuPontTM Corian® surface is strongly dependent on proper installation. Large DuPontTM Corian® countertops are usually fabricated in pieces in the workshop and joined on site, which facilitates transportation and reduces the risk of breakage.

MAINTENANCE

DAILY CARE

DuPontTM Corian® is easy to clean. Its fresh, hygienic appearance can be maintained by wiping up spills, grease and stains with a damp cloth and soapy water, using ammonia based "hard-surface" cleaner or a mild cream abrasive cleanser or common household degreaser, and then wiping dry with a soft cloth. Sinks should be cleaned thoroughly to remove greasy deposits and stains. Once or twice a week, they should be partially filled with warm water and 1-2 teaspoons of liquid bleach and then left to sit for a few hours or overnight. To prevent lime scale build-up from hard water, counters should be dampwiped and then dried. In difficult areas, such as around drains or taps, a household lime scale remover can be used occasionally.

ABUSE

DuPontTM Corian® is inherently "renewable" because it is solid and homogeneous all the way through. Most damage, including severe impact, heat or chemical damage, can usually be repaired on-site and the original smooth, hygienic solid surface restored. For professional sanding of a DuPontTM Corian® work surface, contact your local supplier, who should be able to refer you to a local DuPontTM Corian® Quality Network Fabricator or Service Centre. DuPontTM Corian® Quality Network Service Centres are approved by DuPont to carry out expert repair work. They can also handle installation work and offer maintenance contracts to commercial customers who wish to keep their DuPontTM Corian® installations in prime condition.

RECOMMENDATIONS

HEAT

- Always use a heat protection pad, trivet (with rubber feet) or protective sink mat for hot cookware, or leave cookware to cool on the hob first. Never place hot pans, particularly cast iron pans, directly onto a DuPont™ Corian® top or in a sink.
 Excessive heat can damage any surface.
- Pouring boiling liquids directly into sinks without turning on the cold tap may damage vour DuPont™ Corian® surface.
- Always use the correct-sized pan on the burner and place it centrally since an overhanging pan may scorch the adjacent surfaces.

SCRATCHES

Like all materials, DuPont™ Corian® will develop slight abrasion marks as a result of normal daily use. Please note the following:

- Never cut or chop on DuPont™ Corian® as this will score the work surface.
 Use a cutting board instead.
- Dark, heavily pigmented colours will show scratches, dust and ordinary wear and tear more readily than lighter, textured colours (for more details, refer to the separate colour chart printed on the interior of the book cover or to a colour brochure).

CHEMICAL SPILLS

Accidental spills of strong chemicals (e.g. paint stripper, brush cleaners, metal cleaners, oven cleaners, cleaners containing methylene chloride, acid drain cleaners, acetone-based nail polish removers, etc.) should be flushed promptly with plenty of soapy water to avoid damaging worktops. For nail varnish spills, non-acetone based remover can be used and then flushed with water. Undetected or prolonged exposure to chemicals may damage the surface. Please refer to the DuPontTM Corian® spec data sheet with your local supplier or visit www.corian.com for additional details regarding chemical exposure, clean up methods and general maintenance. In case of exposure outside the specifications listed in our spec data, the 10-Year Limited Product Warranty will be void and handled as a case of abuse.

KNOW-HOW

/3

QUALITY NETWORK

In order to transform DuPont™ Corian® into designer creations, DuPont has developed a Quality Network of people dedicated to delivering the very best standards of installation and service.

Their primary goal is to ensure that customers are highly satisfied with their DuPont™ Corian® installations. The members of the DuPont™ Corian® Quality Network are:

- Authorised DuPont™ Corian® fabricators/installers
- DuPont™ Corian® Service Centres
- Warranty Co-ordinators

All members have been trained by DuPont in the fabrication, installation, repair and maintenance of DuPont™ Corian® solid surfaces. Quality Network members are also responsible for applying and fulfilling the 10-Year Limited Installed Warranty Program.

SERVICE CENTRES

Service Centres are independent companies operating in a network under an agreement with DuPont. They install DuPont™ Corian®, handle warranty claims quickly and efficiently, and implement and execute the DuPont™ Corian® Care and Maintenance Program at pre-determined rates. Their main objective is to provide the highest possible level of customer satisfaction.

WARRANTY

DuPont offers two levels of warranty protection for DuPont™ Corian®: product and installed.

The Product Warranty is standard for all DuPont™ Corian® products and ensures that they will be free of manufacturing defects for a period of 10 years after purchase. A higher level of coverage, the Limited Installed Warranty, is only available when fabrication and installation is carried out by a DuPont™ Corian® Quality Network fabricator.

This Limited Installed Warranty expands the Product Warranty and also ensures that the fabrication and installation of the finished product will be free of defects. For further information, please contact your local DuPont™ Corian® office.

This information corresponds to our current knowledge on the subject. It is offered solely to provide suggestions for your own experimentation. It is not intended, however, as a substitute for any testing you may need to conduct to determine for yourself the suitability of our products for your particular purposes. This information may be subject to revision as new knowledge and experience becomes available, since we cannot anticipate all variations in the actual enduse of Corian®.

Nothing in this publication is to be considered as a license under which to operate or a recommendation to infringe any patent right.

LEGAL NOTICE

INTELLECTUAL PROPERTY

All the decorations, solutions, systems, products, installations and designs shown in the images included in this document/presentation are the intellectual property of their respective owners. Copying the decorations, solutions, systems, products, installations and designs shown in these images will result in the violation of the intellectual property of their respective owners. Persons infringing these intellectual property rights will be held accountable in accordance with applicable legislation.

PROPERTY AND USE OF IMAGES

The images used in this dossier are the property of E. I. du Pont de Nemours and Company or its affiliated companies or, alternatively, are the property of companies, architects, designers, organization or other entities or individuals. The unauthorized use of these images constitutes a violation of the laws on intellectual property and copyrights.

- Name of design or product
- Name of producer or manufacturer
- Name of designer
- ⇒ Name of place or event



Seamlessness
an igned of liberty

When the man and the

4 6 6 7 8 9 0 0 2

- "Le Vase" Christian Ghion "Corian®: 40 Years 40 Designers", Milan, April 2007 Photo Leo Torri for DuPont™ Corian®
- ② ♀ "Diode" lamps Narc Newson → "De-lighted by Corian®", Milan April 2003 Photo Miro Zagnoli for DuPont™ Corian®

- **6** ♀ Kitchen environment ► Jean Nouvel → "Corian® Nouvel Lumières", Milan, April 2007 Photo Leo Torri for DuPont™ Corian®
- **②** Bathroom environment **③** "Estelle" pattern (on carpet and vanities) by MissoniHome; PHC vanities by Boffi **⑤** "Corian® loves Missoni", Milan, April 2008 Photo Leo Torri for DuPont™ Corian®
- ② "ON/Off (and everything in between)"
 ③ Build (London) & Commonwealth (New York)
 → Espeis Archetype gallery
 Photo Zoe Coombes
- Milan, April 2008 Photo Leo Torri for DuPont™ Corian®
- Ÿ "Oh-Void" chair 🔌 Ron Arad 🕏 Lo-rez-dolores-tabula-rasa,
- Milan, April 2004 Photo Tom Vack for DuPont™ Corian®




- "Evonoma" kitchen
 Evonoma
 Peter Ravbjerg
 Photo courtesy of Evonoma
- ② ☼ "K2" kitchen ⑤ Boffi ⑥ Norbert Wangen Photo Sabine Schweigert for DuPont™ Corian®
- W "K2" kitchen Boffi Norbert Wangen
 Photo Sabine Schweigert for DuPont™ Corian®
- ④ Ÿ "K2" kitchen ⑤ Boffi ⑥ Norbert Wangen Photo Sabine Schweigert for DuPont™ Corian®


Copyrights



- ♥ Wilhelminastraat Amsterdam, private apartment
 Netherlands
 Hofman Dujardin Architecten
 Amsterdam, Netherlands
 Photo courtesy of Hofman Dujardin Architecten
- ② ❖ Kitchen, private apartment, Paris ◎ Arik Levy Photo Jean-Pierre Delagarde for DuPont[™] Corian®



- ② ♀ "Solaris" kitchen ᇦ Ernestomeda ℚ Pietro Arosio Photo courtesy of Ernestomeda



- ◆ Acafè (Autogrill)
 ◆ Colli & Galliano architetti
 ◆ Termini railway station, Rome
 Photo Arch. L. Filetici
- ② ☼ Adam & Eve Hotels ⇒ Belek, Turkey Photo DuPont™ Corian®



- Shower © "Estelle" pattern by MissoniHome "Corian® loves Missoni", Milan, April 2008 Photo Leo Torri for DuPont™ Corian®
- ② ♀ Bathroom environment ℕ Rosita and Luca Missoni;

 "Estelle" (carpet) and "Esmeraldas" (partition) patterns by MissoniHome;

 "Po" bathtub by Boffi, design Claudio Silvestrin ➾ "Corian® loves

 Missoni", Milan, April 2008 Photo Leo Torri for DuPont™ Corian®
- ③ ☼ Joan Font Collection ⑤ Nexa Arquitectonica ⑥ Joan Font Photo courtesy of Nexa Arquitectonica



- "Elemental Spa" collection
 Dornbracht
 Sieger Design
 Photo courtesy of Dornbracht
- **②** 'Folio' □ Boffi □ Neunzig design Photo Diego Alto for DuPont™ Corian®
- Orca" Rapsel Thomas Sandell
 Photo Sabine Schweigert for DuPont™ Corian®




- Yasmine Mahmoudieh ♦ Willisau, Switzerland, 2005 Photo DuPont™ Corian®
- 2 \$\forall \text{ shower tray, "Joan Font" collection \$\text{\omega} \text{ Nexa Arquitectonica}\$ Joan Font Photo courtesy of Nexa Arquitectonica
- ③ ♀ "Opera" bath tub ⑤ Toscoquattro ◎ Claudio Nardi Photo Massimo Fazio for DuPont™ Corian®
- ignition wash basin and shower tray, "Joan Font" collection 🕲 Nexa Arquitectonica 🕲 Joan Font Photo courtesy of Nexa Arquitectonica



- "Oh Void" chair Non Arad Shorez-dolores-tabula-rasa, Milan, April 2004 Photo Tom Vack for DuPont™ Corian®
- 2 \$\foating\$ "Shadow" chaise longue \$\omega\$ Cappellini \$\omega\$ Christian Ghion Photo courtesy of Cappellini
- ♥ "Caillou"

 Scott Wilson Photo courtesy of Scott Wilson



- "corian®: 40 Years Orian®: 40 Years -40 Designers", Milan, April 2007 Photo Leo Torri for DuPont™ Corian®
- ② ♀ "Fossil" tray Naquili & Alberg → "Corian®: 40 Years -40 Designers", Milan, April 2007 Photo Leo Torri for DuPont™ Corian®
- **③** ♀ "Le Vase" ♠ Christian Ghion → "Corian®: 40 Years -40 Designers", Milan, April 2007 Photo Leo Torri for DuPont™ Corian®
- ◆ ♥ "Vertigo" trays ♥ B&B Italia Naoto Fukasawa Photo courtesy of B&B Italia
- **6** ♀ "Loop" trays ♀ B&B Italia ■ Jakob Wagner Photo courtesy of B&B Italia



- "Loftcube" Substitute GmbH Werner Aisslinger Substitute Berlin, Milan, April 2007 Photo Francesco Brigida for DuPont™ Corian®
- ② ♀ "Loftcube" ⑤ Loftcube GmbH ⑥ Werner Aisslinger ➾ Berlin, Designmai, May 2003 Photo Steffen Jänicke



- Photo Leo Torri for DuPont™ Corian®
- ÿ Seeko'o Hotel

 N Atelier d'architecture King Kong ♦ Bordeaux, France Photo Arthur Péquin



- **1 ②** "Rendez-Vous Toyota" showroom **③** Ora-Ito **→** Paris Photo Luc Boegly
- **②** ♀ Chantal Thomass' flagstore **③** Christian Ghion → Paris Photo Jean-Pierre Delagarde for DuPont™ Corian®



- "Size + Matter" (Prototile) Amanda Levete ♦ London Design Festival, 2007 Photo Phillips de Pury
- ② ♀ "Tandem" collection ♀ Ego Paris ♥ Thomas Sauvage Photo Arnaud Childeric/Kalice
- **③** Private apartment **③** David Giovannitti **→** New York Photo Michael Moran



- "Resi-Rise" installation

 KOL/MAC Studio


 IX Biennale di Architettura, Venice, 2004 Photo Leo Torri for DuPont™ Corian®
- * "Upperworld Hotel, Battersea Power Station" installation Ron Arad 🕏 IX Biennale di Architettura, Venice, 2004 (UK Pavilion) Photo Leo Torri for DuPont™ Corian®



- ♦ 2008 Chelsea Flower Show, London Photo Trevor Grant
- ② ♀ "Neverending" bookshelf Luca Nichetto → "I Have a dream" event by Andreoli and DuPont™ Corian®, Milan, March 2007 Photo Massimo Schiavon
- event by Andreoli and DuPont™ Corian®, Milan, March 2007 Photo Sabine Schweigert for DuPont™ Corian®



- Illuminated cubic seating, wall pannelling and wall lamp Rosita and Luca Missoni; "Onda" and "Esmeraldas" patterns by MissoniHome 🕏 "Corian® loves Missoni", Milan, April 2008 Photo Leo Torri for DuPont™ Corian®
- 2 🌣 Detail of wall lamp 🔊 Rosita and Luca Missoni; "Esmeraldas" pattern by MissoniHome 🕏 "Corian® loves Missoni", Milan, April 2008 Photo DuPont™ Corian®
- **③** ♀ "Illumination bar" ♠ Werk 5 → 2008 Light+Building, Frankfurt Photo courtesy of werk 5; interactive-scape.com



- Decorative cladding Jean Nouvel → Corian® Nouvel Lumières, Milan, April 2007 Photo Leo Torri for DuPont™ Corian®
- ② Borlind City Spa (corso Como, Milan)
 ③ Burk Architekten
 ⇒ Milan Photo courtesy of Moser GmbH
- The Lucy Clinic" (Dr. James Chang's aesthetic surgery clinic)
 Michael Young and Katrin Olina Young
 Taipei, Taiwan Photo courtesy of Michael Young




- GS Tessuti showroom Nicoletta Bertolissi/Ideas in Progress

 Udine, Italy Photo courtesy of TechLab Italia
- ② ♀ Elie Tahari boutique ℚ Lissoni Associati ⇒ Beverly Hills, California, USA Photo Lawrence Anderson




- ② "Bon Bon" coffee tables ⑤ Moroso ◎ Tord Boontje Photo Massimo Fazio for DuPont™ Corian®
- ④ ♀ "Foliage" bed ℚ Ilaria Marelli ♠ "I Have a dream" event by Andreoli and DuPont™ Corian®, Milan, March 2007 Photo Massimo Schiavon



- **1** ♀ Kitchen ♠ Rácz Anikó → Hungary Photo courtesy of Wood Stock K.F.T.
- ② ♀ "Rosi"s table (from "Allaria" collection) ⑤ Escho ◎ p.èn.lab Photo courtesy of Escho
- 'Partile' cabinet Decode London Jethro Macey Photo courtesy of Decode London



1 ♀ Kitchen and wall cladding ► Zaha Hadid → Z. Island by DuPont™ Corian®, Milan, April 2006 Photo Leo Torri for DuPont™ Corian®



- Briza" radiator □ Jaga □ James Davis Photo Francesco Brigida for DuPont™ Corian®
- ② "Roulette" and "Pong" tables ⑤ Rabih Hage Gallery
 ⑥ Moritz Waldemeyer Photo Jake Fitzjones for DuPont™ Corian®

- ② ♀ Light and translucency installation ℕ Michael Young ⇒ 100% Design London 2001 Photo DuPont™ Corian®

Contacts

EUROPE

HEADQUARTERS

DU PONT DE NEMOURS INTERNATIONAL S.A. 2, chemin du pavillon/p.o. Box 50 Ch-1218 Le Grand-Saconnex Geneva Switzerland TEL: +41 22 71 75 111 FAX: +41 22 71 75 109

AUSTRIA

DU PONT DE NEMOURS (DEUTSCHLAND) GMBH DuPont Str. 1 D-63263 Neu-Isenburg Germany TEL: +49 93 14 60 07 41 FAX: +49-6102-18-2524 Free telephone number: 0 800 29 58 33

BENELUX

DUPONT DE NEMOURS (BELGIUM) BVBA Antoon spinoystraat 6 B-2800 Mechelen Belgium TEL: +32 15 47 32 99 FAX:+32 24 03 53 42 Free telephone number (Belgium only): 0800 96 666 Free telephone number (Luxembourg only): 0800 23 079 Free telephone number (Netherlands only): 0800 02 23 500

DENMARK

Skøjtevej 26 DK-2770 Kastrup Denmark TEL: +45 32 47 98 00 FAX: +45 77 31 15 79

DUPONT DANMARK

FRANCE

DU PONT DE NEMOURS (FRANCE) S.A.S. Défense Plaza 23/25 Rue Delarivière Lefoullon Défense 9 92800 Puteaux France TEL: +33 1 41 97 44 00 FAX: +33 1 41 97 44 11 Free telephone number: 0800 91 72 72

FINLAND

NOMART OY Merikasarminkatu 6 00160 Helsinki Finland TEL: +358 9 66 14 77 FAX: +358 9 66 37 28

GERMANY

DU PONT DE NEMOURS (DEUTSCHLAND) GMBH DuPont Str. 1 D-63263 Neu-Isenburg Germany TEL: +49 93 14 60 07 41 FAX: +49 61 02 18 25 24 Free telephone number: 0800 18 10 018

GREECE

LEADING PRODUCTS SA 11 Emmanouil Pappa str. 122 42, Votanikos Athens Greece TEL: + 30 210 34 18 050 FAX: +30 210 34 18 05

ICELAND

DUPONT SURFACES box 84 425 02 Hisings Kärra Sweden TEL: +46 31 57 68 00 FAX: +46 31 57 34 53

ITALY

DU PONT DE NEMOURS ITALIANA S.R.L. **Building Innovations** Via Piero Gobetti 2/c 20063 Cernusco s/Naviglio MI ITALY TEL: +39 02 92 629 349 FAX: +39 02 360 493 61 Free telephone number: 800 876 750

Showroom: Corian® Design Milano Store Via San Nicolao 4, 20123 Milano Italy

NORWEGIA

DUPONT NORGE AS Postboks 6154 NO 0602 Oslo Norwegia Grenseveien 91 TEL: +47 22 08 79 11 FAX: +47 22 08 79 29

PORTUGAL

MATERFUT (Distribuidor oficial) Estrada Da Rainha, 807 4410-030 Serzedo Vila Nova De Gaia Portugal TEL: +351 227 536 900 FAX: +351 227 536 909

SPAIN

DU PONT IBÉRICA, S.L. Edificio l'illa Avenida Diagonal 561 Es-08029 Barcelona Spain TEL: +34 93 227 61 32 FAX: +34 93 22 76 211 Free telephone number: 901 120089

SWEDEN

DUPONT SURFACES box 84 425 02 Hisings Kärra Sweden TEL: +46 31 57 68 00 FAX: +46 31 57 34 53

SWITZERLAND

DU PONT DE NEMOURS (DEUTSCHLAND) GMBH DuPont Str. 1 D-63263 Neu-Isenburg Germany TEL: +49 93 14 60 07 41 FAX: +49 61 02 18 25 24 Free telephone number: 0800 55 46 14

UNITED KINGDOM AND IRELAND

MCD MARKETING LIMITED 10 quarry court Pitstone green business park Pitstone, nr. Tring Bucks. Lu7 9gw TEL: +44 12 96 66 35 55 FAX: +44 12 96 66 35 99 Free telephone number (United Kingdom only): 0800 96 21 16 Free telephone number (Ireland only): 1800 55 32 52

CENTRAL AND EASTERN EUROPE

HEADQUARTERS

DUPONT CZ S.R.O. Pekarska 14/628 Cz-155 oo Prague 5 Czech Republic TEL: +420 257 414 213 FAX: +420 257 414 150

BULGARIA

DUPONT DE NEMOURS INTERNATIONAL S.A Trade Representation in Bulgaria 1766 Sofia, Mladost 4 Business Park Sofia Build.1A. floor 1 Bulgaria TEL: +359 2 4899155 FAX: +359 2 489 9156

CZECH REPUBLIC

DUPONT CZ S.R.O. Pekarska 14/628 Cz-155 oo Prague 5 Czech Republic TEL: +420 257 414 213 FAX: +420 2 57 414 150

HUNGARY

DUPONT CZ S.R.O. Pekarska 14/628 Cz-155 oo Prague 5 Czech Republic TEL: +420 257 414 213 FAX: +420 57 414 150

KAZAKHSTAN

"DUPONT KAZAKHSTAN" LLC 172, Dostyk avenue Almaty 050051 Kazakhstan TEL: + 7 727 261 90 28 FAX: +7 727 261 90 38

POLAND

DU PONT POLAND SP. Z O.O. ul. Powazkowska 44c pl-01-797 Warsaw Poland TEL: +48 22 320 0900 FAX: +48 22 320 0901

ROMANIA

DUPONT ROMANIA SRL Soseaua Bucuresti Ploiesti 42-44 Baneasa Business & Technology Bulding B, 2nd Floor, 1, Bucharest Romania TEL: + 40 31 62 04 111 FAX: +40 316204101

RUSSIA

DUPONT SCIENCE & TECHNOLOGIES LLC Krylatskaya str., 17 bld. 3 121614 Moscow Russia TEL: +7 495 797 22 33 FAX: +7 495 797 22 01

SERBIA

DUPONT SRB D.O.O. Omladinskih brigada 88 11070 New Belgrade Serbia TEL: +381 11 2090581 FAX: +381 11 2090598

SLOVAKIA

DUPONT CZ S.R.O. Pekarska 14/628 Cz-155 oo Prague 5 Czech Republic TEL: +420 257 414 213 FAX: +420 2 57414 150

UKRAINE

"DUPONT UKRAINE" LLC "Podil Plaza" Business Center 30a, Spaska Street Kyiv, 04070 Ukraine TEL: + 380 50 310 79 19 FAX: + 380 44 495 26 71

MIDDLE EAST AND AFRICA

REGIONAL OFFICE FOR MEA

DU PONT PRODUCTS S.A. P.o. box 33718 Dubai **United Arab Emirates** TEL: +971 43 21 15 30 FAX: +971 43 21 15 33

DUBAI

BATIMAT BUILDING MATERIALS LLC, (AUTHORISED DISTRIBUTOR) P.o. box 13913 Dubai **United Arab Emirates** TEL: +971 42 82 01 55 FAX: +971 42 82 07 59

EGYPT

DUPONT PRODUCTS S.A. 48, El-Nasr St. New Maadi-10 Floor Cairo Egypt TEL: +202 275 46 580 FAX: +202 275 46 583

ISRAEL

NYGA LTD. 28 Halechi St Bnei Brak 51200 Israel TEL: +972 35 70 88 77 FAX: +972 35 70 62 68

SAUDI ARABIA

DUPONT PRODUCTS SA Eastern cement tower 4th floor-405 Alkhobar 31952, Saudi Arabia TEL: +966 1 4190180 FAX: +966 1 4191053

GULF ACRYLIC MFG. CO. LTD. (GAMCO) (AUTHORISED DISTRIBUTOR) P. O. Box 5728 21432 Jeddah Saudi Arabia TEL: +966 26 69 39 36 / 66 94 747 FAX: +966 26 69 55 76

SOUTH AFRICA

DUPONT DE NEMOURS SA 4th Floor Outspan House 1006 Lenchen Avenue North Centurion 0046 TEL: + 27 12 683 5600 FAX: +27 12 683 5663

TURKEY

DUPONT TURKEY Buyukdere cad. No:122 ozsezen is merkezi A blok kat:1-3, 34394, Esentepe Istanbul Turkey TEL:+90 212 340 04 00 FAX:+90 212 340 04 20

NORTH AMERICA

UNITED STATES OF AMERICA

DUPONT SURFACES Chestnut Run Plaza P.O. Box 80721 Wilmington, DE 19880-0721 USA TEL: + 1-800-436-6072 FAX: +1 800 426 5753

LATIN AMERICA

ARGENTINA

DUPONT ARGENTINA S.A. Ing. Butty 240, piso 10 1001 Buenos Aires Argentina TEL: 005411-4021-4700 FAX: 005411-4021-4800

BRASIL

DUPONT BRASIL S.A. Al. Itapecuru 506 Alphaville Barueri- SP - CEP 06454-080 Brasil Free telephone number: 0800 171715 TEL: +55 11 4166-8412 FAX: +55 11 4166-8761

COLOMBIA

DUPONT COLOMBIA S.A.
Calle 113 # 7-21 torre A piso 14
Bogotá
Colombia
Tel: 571 6292202
Fax: 571 6292428

MEXICO

DUPONT S.A. DE C.V. Homero 206 COL Chapultepec Morales Delegación Miguel Hidalgo 11570 DF Mexico City Mexico Tel: +525 722 1223

Fax: +525 722 1369

DUPONT (AUSTRALIA) LTD

ASIA PACIFIC

AUSTRALIA

HEAD OFFICE
7 Eden Park Drive
Macquarie Park Nsw 2113
Sydney
Australia
TEL: + 61 2 9923 6111
FAX: + 61 2 9923 6011
Free telephone number: 1 800 252 997

CHINA

DUPONT CHINA HOLDING CO.LTD. BEIJING OFFICE
Unit 1101,
China World Tower 2,
No.1 Jianguomen Wai Avenue,
Beijing,
100004, China
TEL: (86) 10-65058000
Ext.1033/3018
FAX: (86) 10-65058008

DUPONT CHINA HOLDING CO.LTD. -SHANGHAI OFFICE Building 11, 399 Keyuan Road, Zhangjiang Hi-Tech Park, Pudong New District, Shanghai 201203, China TEL: (86) 21-38622888 FAX: (86) 21-38622589

HONGKONG

DUPONT CHINA LTD. 26/F, Tower 6, The Gateway, 9 Canton Road, Tsim Sha Tsui, Hong Kong TEL: (852) 27345353 FAX: (852) 27219897

INDIA

E.I.DUPONT INDIA P.LTD DLF Cyber Green Tower- C, 7 th Floor DLF Phase - III, Sector - 25A, Gurgaon - 122 002 India TEL: 0124-409 1818 / 409 2828 FAX: 0124- 2540889 / 90 / 91

JAPAN

DUPONT-MRC CO. LTD. No.45 Kowa Bldg. 1-15-9, Minami Aoyama Minato-Ku 107-0062 Tokyo Japan TEL: +81 3 54108551 FAX: +81 3 54108501

MALAYSIA

DUPONT MALAYSIA SDN BHD 6 floor, Bangunan Samudra, 1, Jalan Kontraktor U1/14 Hicom-Glenmarie Industrial Park 40150 Shah Alam Selangor Malaysia TEL: +603-55693006 Ext 501 FAX: +603-55693001

REPUBLIC OF KOREA

DUPONT (KOREA) LTD. 726 Yeoksam-dong Asia Tower 4/5th floor Kangnam-ku Seoul, 135-082 South Korea TEL: +82 2 2222 5200 FAX: +82 2 2222 5470

SINGAPORE

DUPONT COMPANY (SINGAPORE) PTE. LTD. 1 Harbourfront Place #11-01 Harbourfront Tower One 098633 Singapore TEL: +65 6586 3688 FAX: +65 6272 7494

TAIWAN

DU PONT TAIWAN LTD. 13/F, Hung Kuo Building, 167 Tun Hwa North Road, Taipei 10590, Taiwan TEL: (886) 2-27191999 FAX: (886) 2-27190852

THAILAND

DU PONT (THAILAND) LTD. 6-7th floor, m. Thai Tower All Seasons Place 87 Wireless Road Lumpini, Phatumwan 10330 Bangkok Thailand TEL: + 66 2 659 4000 FAX: + 66 2 659 4001 - 3



corian

the Corian® book

The creative landscape has changed as design increasingly becomes a fusion of ideas, material, technology, and the environment.

Aesthetics and functionality harmonise with a powerful awareness of the body

and how it interacts with this brave new world. Smooth transitions flow between art, architecture and design and each medium must be able to adapt, progress and evolve with time.

The thrilling possibilities offered by this evolution also bring challenges. The freedoms offered by 3D CAD, Web 2.0 and other new solutions come hand-in-hand with new demands upon materials and production techniques.

Architects and Designers are the key to a seamless link between nature, technology and aesthetics, for both interiors and exteriors.

Long-lasting, hygienic, durable and elegant, the three-dimensional formability of $DuPont^{TM}$ Corian® has been freeing innovative artistic minds for over 40 years.

