

Introducing TristoneUK Full Product Catalogue

Contents

4	About	116
4	About	US

- 5 Why Choose Tristone UK?
- 6 Our Product Portfolio
- 7 Features of Tristone®
- 8-17 Tristone® Solid Surfaces
 - What is Tristone®?
 - Your Tristone® Creation
 - Colours of Tristone®
 - Non UK Colours of Tristone®
 - Technical Specifications & Data Tables
 - Warranty Information
- 18-19 Fortis 38mm Kitchen Worktops
 - Product Specifications
 - Warranty Information
- 20-23 Cast Sinks and Bowls
 - Models
- 24-27 Bekjo® Stainless Steel Sinks
 - Features of Bekjo®
 - Product Specifications
 - Models
 - Care and Maintenance
- 28-37 Thermoformed Sinks and Bowls
 - Sinks Models
 - Bowls Models
 - Basins Models
 - Warranty Information
- 38-39 Accessories





WORK TOGETHER, WIN TOGETHER

About Us

Established in 2001, Tristone UK Limited is the sole distributor of Tristone® Solid Surface sheets. We also offer Fortis® 38mm pre-formed worktops, a wide selection of sinks and bowls, colour match adhesives and accessories. We firmly believe in providing the best quality products at competitive prices.

We aim to work closely with clients, offering full support through the supply of samples, literature, technical assistance, customer care and project support. As well as offering practical advice to fulfill every requirement for the solid surface market.

Based in Stockton-On-Tees, we have a wealth of experience, and have built up trust within the industry due to our commitment to offering the best and personal service to all our customers.

Why Choose Tristone UK?

because we believe in quality...

We know the solid surfacing market changes frequently as design trends change. We work to bring in new colours and products to stay ahead of trends. We pride ourselves in providing high quality products, and we aim to go above and beyond to provide the best service for our customers.

Over the years, we have refined and perfected the Tristone® colours we offer. With over 40 Tristone® colours as part of UK stock, the colours were carefully selected to simplify the process of choosing the colour of your Tristone® creation.

The three cornerstone objectives of our business are to provide high quality products and services at competitive prices.

Quality

- · Class O Warrington Fire Certified
- · GreenGuard Certified
- · Made in Korea

Service

- · Fast delivery times
- · Quick response to enquiries
- Display support
- Professional technical information
- Project Management
- Fabrication Training

Price

- Save up to 40% per sheet¹
- Monthly discounts available²
 Subject to terms and conditions (see below)
- · Project pricing available

Our Product Portfolio



Tristone® is an acrylic solid surface, the ideal material that combines practicality, durability, and elegance. It is the perfect material that enables you to create a one-of-a-kind design for limitless self expression and design possibilities.

Hygienic

Tristone's non-porous acrylic surface allows for seamless joins. Seamless joins mean it can fend off mildew, bacteria and other harmful germs and is stain resistant.

Practical

Tristone® is the bespoke choice of the practical minded individual, providing a surface that is both durable and easy to maintain. It comes in a variety of colours at a competitive prices. It also offers more practicality when it comes to maintenance and is much easier to repair.

Fortis Pre Formed 38mm Worktops

Fortis®: Pre-formed worktops offer all the best qualities of a solid surface material for your kitchen or bathroom. There are 8 colours available in our Fortis® worktop range. Fortis® is made up of 6mm Tristone® Solid Surface material on moisture resistant MDF, which gives your kitchen or bathroom a bespoke quality look and feel.



Our Cast Sinks and Bowls

Our Cast Sinks and Bowls are available in various models. They are not only premium quality but are bacterial resistant, easy to clean and maintain.

They can be under-mounted which gives you a perfectly integrated bathroom design.



Stainless Steel Sinks by Bekjo

Bekjo stainless steel sinks are handmade and produced to the highest manufacturing standards. The sinks are made from premium grade 1.2mm POSCO steel which offers a consistent and luxurious appearance whilst also bringing innovations to make your kitchen and your home more hygienic and beautiful.



Thermoformed Sinks and Bowls by Tristone UK

Thermoformed sinks and bowls are made with Tristone® solid surface sheets, which allows your design to be fully integrated and seamless.

Note: we do not guarantee batch match.

Features of Tristone®

Seamless Joins

The colour is maintained throughout the sheet. This means that joint lines will be difficult to spot when installed by an approved Tristone fabricator.



Heat Resistance

Tristone® solid surfaces are resistant to heat¹. This means that induction hobs and gas hobs can be integrated into the surface. fabricator.



Colour Match Products

We offer Tristone® colour match sinks & bowls to give an integrated continuous flow of colour in your design².



Future-Proof

Change the way you see surfaces by integrating upcoming technologies such as wireless charging and pop up plug sockets into the surface.

The limitless design potential of Tristone® means it is future-proof. Offering the flexibility that comes with solid surface products at an affordable price.





What is Tristone®?

Tristone® is an **acrylic solid surface**, the ideal material that combines practicality, durability, and elegance. It is the perfect material that enables you to create a one-of-a-kind design for limitless self-expression and design possibilities.

Tristone® is seamless, non-porous, resistant to heat, moisture and bacteria. Tristone® can be thermoformed and joined seamlessly. Additionally, inconspicuous joins, integrated sinks, bowls and coved upstands make Tristone® the perfect choice for both residential and commercial applications. The design potential for Tristone® is **limitless**.

Tristone® is...



Repairable

Tristone® Surfaces can be repaired to their original state without any evidence of damage.



Heat Resistant

Tristone® is resistant to heat making it the ideal surface for kitchens, bathrooms, laboratories and many other applications.

Hygienic

Tristone's® non-porous acrylic surface has countless benefits; with its ability to join seamlessly it can fend off mildew, bacteria and other harmful germs and is stain resistant. As Tristone can be joined seamlessly it is the perfect option for clinical environments.

Practical


Tristone® is the bespoke choice of the practical minded individual, providing a hygienic surface that is both durable and easy to maintain. It comes in a variety of colours at a competitive price whilst still offering the same "wow factor" that other high quality surfaces such as granite and solid stone products offer. It also offers more practicality when it comes to maintenance and is easier to repair.

Perfect for projects


Tristone[®] colours can be customised for special projects to meet your design requirements. The size and concentration of chips can be customised in all current Tristone[®] colours. Alternatively, colours can be developed to match your colour requirement³.


SEE WHAT YOU CAN DO WITH LIMITLESS DESIGN POTENTIAL





Colours of Tristone®








= HM







S-204 HM

Foa S-201 HM

Tempest Grey S-111 HM



F-103 HM



TS-121 Ash HM



Black Pepper S-106 HM



Black Frost S-205 -



Night Pearl S-202 HM




Shell V-004 HM



Almond V-003 HM



Sinai V-011 HM



HM

NEBULA DARK SCRATCH COLOURS



Dark Cave A-105-(D) **— H M**



TS-117-(D) Sauron HM



Night Sky S-119-(D) HM



NEW Galaxy Cluster ST-010-D HM



NEW Uranos TS-212-D - HM

Colour Series

A series: Solid colours S series: Small chips ST series: Medium chips F series: Large chips T & B series: UP chips

TS & M series: Transparent chips

V series: Marbled colours Illustrated and actual colours may vary

Note -

Nebula products marked with: (D) will be available in the regular variant while stocks last.

Thickness Available



*: Limited Availability

M: Metallic Chips

H: High Maintenance

Dark or heavily pigmented colours require more maintenance and attention. These colours are suited for areas with less wear and tear.

SAMPLE HOTLINE: 01642 616880 Alternatively email: samples@tristoneuk.com

Non UK Stock Colours of Tristone®



Colour Series

A series: Solid colours S series: Small chips ST series: Medium chips **F** series: Large chips T & B series: UP chips TS & M series: Transparent chips

V series: Marbled colours

Illustrated and actual colours may vary

Thickness Available



* Available from Europe

M Metallic Chips

High Maintenance

Dark or heavily pigmented colours require more maintenance and attention. These colours are suited for areas with less wear and tear.

Non UK Stock Colours

- Available from Korea
- MOQ 20 sheets per colour
- Lead time 8-12 weeks
- Subject to Terms & Conditions.

European Colours

- No minimum order quantity
- Lead time 7-10 days
- Subject to availability.
- Delivery surcharge may apply. Subject to Terms & Conditions.





Colour Swatch | Grise - MT001 Actual colour may vary from the image provided.



Technical Specifications

ltem	Lion ChemTech	Standard Applied
Water Absorption Coefficient	0.03% (24hrs) 1/2" Sheets	ASTM D570
Hardness Test	92 Rockell M Scale	ASTM D785
Hardness Test	63 Barcol Impressor	ASTM D2583
Pencil Hardness (HRM)	92	KS D 6711
Izod Impact Strength	.26ft-lbs/in of notch	ASTM D256
Tensile Strength	6500 psi	ASTM D638
Tensile Modulus	1.4 x 10 ⁶ psi	ASTM D638
Ball Drop	>125" 1/2lb steel ball	NEMA LD-3
Flexural Strength	10000 psi	ASTM D790
Flexural Elastic Modulus	1.30 x 10⁵	ASTM D790
Elongation	0.73%	ASTM D638
Thermal Expasion Coef, (°C)	3.5 x 10 ⁻⁵	ASTM D696
Weatherability	No change - 1000 hours	ASTM D1499
Gloss (60 gardner)		NEMA LD-3
Colour Stability	No change - 200 hours	NEMA LD-3
Thermal Resistance	No change	NEMA LD-3
Boiling Water Resistance	No change	NEMA LD-3
Stain Resistance	Pass Rating 41	ANSI Z 124
Food Zone Acceptability	Accepted/Listed	NSF 51
Fungi and Bacteria	No Growth	ASTM G21
Specific Gravity - Solid Colours	1.74	
Specific Gravity - Other Colours	1.69	
Wear and Cleanability	Pass	
Flammability	Class 1	UBC 8-1
Flame Spread	0-25	ASTM E84
Smoke Density	<25	ASTM E84
Radiant Heat Resistance	No Visual Effect	

Sheet Specifications

Properties	Unit	Specification
Thickness	mm	6.0, 9.0, 12.0+0.5(-0)
Length	mm	2490, 3070, 3680+20(-0)
Width	mm	760+10.0(-0)
Warp	mm	Less than 1.6 (Width)
Corner Angle	mm	Less than 3.2
Corner Damage	mm	Less than 5.0

Choosing your ideal Tristone® colours

It is important to understand that certain dark colours, special design patterns and heavily pigmented colours are prone to show scratches, dust, haziness, and ordinary wear and tear more easily than our lighter, textured colours.

The basic composition of Tristone® remains the same however; the pigmentations are of a higher density for certain colours to produce rich, vibrant and other special textures. Highly pigmented colours will require more frequent care and maintenance to keep their appearance.

Dark or vibrant colours or heavily pigmented colours are not recommended in applications where the surface is exposed to heavy use or contact.

Customise your Tristone® colours

Tristone® colours can be customised for special projects to meet your design requirements. The size and concentration of chips can be customised in all current Tristone® colours. Alternatively, colours can be developed to match your colour requirement. Available for projects which require more than 100 sheets.

Tristone® Sheet Warranty

10 year limited warranty

General Terms and Conditions

Lion Chemtech Co., LTD will warrant its Solid Surface materials against manufacture defects for the period of 10 years from the shipment date. This Limited 10-Year Warranty against defective materials only applies to Lion Chemtech's Solid Surface products, which are stored, handled, fabricated, installed, and used in the manner recommended in the Lion Chemtech's Fabrication Manual, Care & Maintenance Guide, Technical Bulletins, and other standards that are known in the Solid Surface industry.

This warranty does not cover the following:

- 1. Misuse.
- 2. Abuse.
- 3. Improper installation or maintenance.
- 4. Failure to follow instructions provided in the Tristone™ User Guide including, but not limited to. fabrication, installation, care, maintenance, etc.
- 5. Physical, chemical or other abuse including, but not limited to, damage from improper cleaning solutions such as bleach or drain cleaner, damages from vandalism, stains, scratches, water spots, and dropping of heavy/sharp objects.
- 6. Excessive heat exposure to a degree that would cause the product to display white marks, cracks and other unreasonable defect.
- 7. Acts of nature including, but not limited to, weather effects, fire, flood extreme exposure to the outdoors.
- 8. Removal or dissatisfaction in appearance of accessory items including, but not limited to, joints, seams, adhesive, caulk, etc.
- 9. Minor conditions such as scratches, stains, burn marks, water stops and other. Due to the unique properties of Tristone™ Solid Surfaces, these minor conditions can be corrected by following techniques specified in the Tristone™ Care & Maintenance Guide.
- 10. Poor workmanship of the fabricator or installer.
- 11. Color variation from the sample.
- 12. Damages from other than manufacturing defect.



Features of Fortis®

Fortis®: Pre-formed worktops offer all the best qualities of a solid surface material for your kitchen or bathroom. There are 8 colours in our Fortis® range. Fortis® is made up of 6mm Tristone Solid Surface material on moisture resistant MDF. This gives your kitchen or bathroom a bespoke quality look and feel.

Colours of Fortis



Fortis Product Specifications




Worktop

1500mm x 650mm x 38mm 3000mm x 650mm x 38mm

Breakfast Bar

1000mm x 900mm x 38mm





Splash Back

1500mm x 760mm x 6mm 3000mm x 760mm x 6mm



Up stand

1500mm x 100mm x 6mm 3000mm x 100mm x 6mm



Fortis 38mm Pre-formed Worktop Warranty

1 year limited warranty

General Terms and Conditions

During this period, we exhange faulty products or give you a full refund in case the product fails to meet your expectations due to factors falling within our range of responsibilities. The warranty covers any splitting, cupping, warping, de-laminating, join separation, or any other damage that occurs because of faulty fabrication. The warranty does not apply to damages occurring due to improper handling, or faulty installation of the product. Each worktop comes with a list of care and maintenance rules that must be followed. Failure to comply with these regulations voids your warranty. Any damages due to transporation must be reported to Tristone UK Ltd immediately. Tristone UK Ltd must be notified within 72 hours of receipt of goods as per our damaged in transit claim policy. We do not cover any costs associated with dismantling and transporting the returning goods.

The following colours will require more maintenance: Dark, Ebony, Black Pepper.

Tristone UK Ltd will not accept any warranty claims for:

- 1. Usual wear and tear scratches, haziness, and marking for any residential or commercial applications.
- 2. Poor installation and care & maintenance.
- 3. Dissatisfaction with appearance of joints or seams, and adhesive.
- 4. Poor application: any product moved from their original place of installation or wrong application for the product.

In cases where you have followed the guidelines above and is found to be unsatisfactory, please contact our office.

Introducing:

Cast Sinks and Bowls by Tristone UK Limited



Cabinet Compatibility Checked

Most of the sinks in our ranges are compatible with standard 600mm cabinets.


Please note: Some sinks may require further modifications or larger cabinets.

Our Cast Sinks and Bowls are available in various models. They are not only premium quality but are also bacteria resistant, easy to clean and maintain. They can be under-mounted which gives you a perfectly integrated design.


	Model	Internal	Colour	Ove	erflow	Minimum	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\
	Model	Dimensions (mm)	Colour	With	Without	Cabinet Size	Warranty
	TN50	325 x 162 x 128					
	TN100	325 x 449 x 168					11/2
<u>k</u> s	JK104	400 x 400 x 205			*		1 Year Limited Warranty
n Sin	JK105	360 x 260 x 120	\\/\bit		*	600	Warranty
Kitchen Sinks	JK204	448 x 562 x 532	White		*	600mm -	
조	GCTK0151	296 x 151 x 143		*	*		2.4
	GCTK0396	396 x 395 x 208					2 Year Limited Warranty
	GDTK0513	410 x 513 x 215					vvairanty
	JK302	410 x 330 x 150					1 Year Limited Warranty
	GTR0350	350 x 350x 155					
	GTR0370	370 x 370 x 146					
wls.	GTE0370	370 x 265 x 135					
m Bo	GTE0415	330 x 415 x 138)A/lei			600	
Bathroom Bowls	GTE0462	462 x 369 x 158	White	*		600mm	2 Year Limited
Bat	GTE0504	504 x 355 x 160		*	*		Limited Warranty
	GTE0505	505 x 340 x 154					
	GTL0560	560 x 368 x 112					
	GTP0500	500 x 300 x 99		*	*		
	GTP0550	550 x 370 x 92		*	*		
Pleas	s e note: Cabi	inet compatibility has	been prov	vided as a	guide		

Cast Sinks & Bowls

TN50 \$\frac{2}{52}\tag{215} 162





JK104 450 400 117 225 205



JK204 152 152 320 081







Cast Sinks & Bowls

Product Information


- · White Sinks & Bowls
- · Undermount
- Cast sinks are available from UK stock
- TN and JK sinks & bowls come without overflow
- · G series sinks & bowls are available with or without overflow
- · Accessories are not included.
- Compatible with 600mm standard cabinets.
- Other customised designs and colours are available upon request for large quantity orders.

Disclaimer: We do not guarantee an exact colour match on the cast sinks with pure white sheets. This is due to the different manufacturing process.

Cast Sinks & Bowls



JK302 460 410 125 288 380 170 150





Cast Sinks & Basins


Product Information


- · White Sinks & Bowls
- · G series sinks & bowls are available with or without overflow
- · Accessories are not included.
- Compatible with 600mm standard cabinets.
- Other customised designs and colours are available upon request for large quantity orders.

Disclaimer: We do not guarantee an exact colour match on the cast sinks with pure white sheets. This is due to the different manufacturing process.
















Cast Sinks & Bowls








Cast Sinks & Bowls

Product Information

- · White Sinks & Bowls
- Undermount
- · G series sinks & bowls are available with or without overflow
- · Accessories are not included.
- Compatible with 600mm standard cabinets
- Other customised designs and colours are available upon request for large quantity orders.

Disclaimer: We do not guarantee an exact colour match on the cast sinks with pure white sheets. This is due to the different manufacturing process.







Find the centrepiece

to your kitchen with Bekjo® Stainless Steel Sinks

Features of Bekjo®

Bekjo® stainless steel sinks are handmade and produced to the highest manufacturing standards. The sinks are made from premium grade 1.2mm POSCO steel which offers a consistent and luxurious appearance whilst also bringing innovations to make your kitchen and your home more hygienic and beautiful.



Cabinet Compatibility Checked

Most of the sinks in the Bekjo® range are compatible with larger cabinet sizes.

Handmade with Premium POSCO Steel

Bekjo® sinks are individually made with premium POSCO steel. The sinks go through a thorough and extensive process to ensure that they are of the highest quality.

Coni Clear Technology

Bekjo® sinks come with a coating which brings the added benefits of being able to withstand corrosion, salt content, general wear and tear, chemical changes, and bacterial growth.

Sound Absorption Technology

Bekjo® sinks come attached with rubber pads to reduce noise and vibrations from the impact of dishes, and kitchenware, and water flow.



Model		External Dimensions (mm)	Internal Dimensions (mm)	Minimum Cabinet Size
	Sink	550 x 450 x 234	500 x 400 x 225	_
SQS500	Base (1.2mm)		500 x 410 x 1.2	600mm
	Base (15mm)	<u>-</u>	500 x 410 x 15	
	Sink	830 x 450 x 228	780 x 400 x 220	_
SQS780	Base (1.2mm)		780 x 400 x 1.2	800mm
	Base (15mm)	-	780 x 400 x 15	
SQS1717	Sink	835 x 455 x 266	380 x 405 x 259 2 each	1000mm
SQS2311	Sink	855 x 455 x 265	533 x 405 x 258 230 x 405 x 213	1000mm
BD813L	Sink	813 x 525 x 229	330 x 420 x 171 400 x 470 x 219	1000mm
BD813R	Sink	813 x 525 x 229	400 x 470 x 219 330 x 420 x 171	1000mm
5050270	Base (1.2mm)		230 x 410 x 1.2	600
SQS0230	Base (15mm)	-	230 x 410 x 15	- 600mm
5050705	Base (1.2mm)		380 x 410 x 1.2	500
SQS0380	Base (15mm)	<u>-</u>	380 x 410 x 15	- 600mm
LD0950	Base (1.2mm)	-	910 x 330 x 1.2	1000mm
RS0490	Base (1.2mm)	-	R380 x 1.2	600mm
IS0530	Base (1.2mm)	-	500 x 390 x 1.2	600mm

Please note: Cabinet compatibility has been provided as a guide.

Product Information

- · Underlay/overmount.
- Sinks only available with overflow.

Base Only Models





1.2mm base

15mm base

These base only models allow you to combine the benefits of Bekjo premium stainless steel and Tristone® to create your colour match sink.

Stainless Steel Sinks

by Bekjo



SQS500



T: 550 x 450 x 234

B: 500 x 400 x 225

H: 89

SQS780 M: 1000

T: 830 x 450 x 228

B: 780 x 400 x 220

H: 89

Stainless Steel Sinks

Product Information

- · Underlay/Overmount
- · Only available with overflow
- · Select models also available as 1.2 or 15mm base only.
- · Accessories included: wire basket

Product Dimensions

M: Minimum Cabinet Size

T: Size of Sink (External Dimensions)

B: Bowl Size

H: Drain size

All dimensions are in mm

For all products in this range there is room for measurement error of ±3mm

SQS1717



M: 1000

T: 835 x 455 x 266

B: 380 x 405 x 259 (2ea)

H: 89



M: 1000

T: 850 x 455 x 265

B: 533 x 405 x 258

B²: 230 x 405 x 213

H: 89

BD813L



M: 1000

T: 813 x 525 x 229

B: 400 x 470 x 219

B²: 330 x 420 x 171

H: 89

BD813R



M: 1000

T: 813 x 525 x 229

B: 400 x 470 x 219

B2: 330 x 420 x 171

H: 89



Care and Maintenance of your Bekjo sink

Cleaning

When first used, wash it with a neutral detergent.

Rub the surface with water until bubbles aren't observed.

Do not keep water in the bowl too long.

Wipe out the bowl with a dry cloth often to keep it clean.

Preventing Damage

Keep hydrochloric acid, sulphuric acid and bleach away from the stainless surface.


Do not leave the sink bowl stained with food waste.


Metal scourers may scratch the stainless steel surface. It is recommended that a sponge is used when cleaning the inside of the sink bowl.

Fitting your Bekjo sink

INSET Sink Mount Type


The sink/bowl is installed over mount. The size of the tops follows the regulations of measuring 12mm from the wing's outer diameter.





UNDER Sink Mount Type

The sink/bowl is installed under mount. The size of the tops follows the regulations of measuring 4mm from the wing's inner diameter.



Introducing:

Thermoformed Sinks and Bowls by Tristone UK Limited

Features of our Sinks and Bowls

Our thermoformed sinks, bowls, and basins are available in our Tristone® UK stock colours. They are made to order and offer the same properties as the Tristone® Solid Surface. For a seamless kitchen or bathroom solution, our colour matched sinks and bowls are the perfect way to make your Tristone® creation a reality.



Cabinet Compatibility Checked

Most of our sinks, bowls and basins are compatible with 600mm standard cabinets.

Please note: Some sinks may require further modification or larger cabinets.



Colour Match Products Available¹

Thermoformed sinks and bowls are made with Tristone® solid surface sheets, which allows your design to be fully integrated and seamless.

Please refer to the colour availability table for further information on availability.



Multiple Base Options Available

Our kitchen sinks come in 3 different base options depending on the model range: Flat Stainless Steel, 20mm Stainless Steel and Solid Surface Base²




Multiple Depth Options Available

We have 3 depths available for our sinks, bowls and basins. Our sink are available in standard depth (see dimension images), 170mm, and 190mm.

Thermoformed Sinks and Bowls by Tristone UK Limited





DTK0332

- · Available in all Tristone UK stock
- · Undermount
- Available with/without overflow
 Sink depths available in standard, 170mm and 190mm deep.

Pure White - A104
Actual colour may vary from the image provided.

Thermoformed Sinks

by Tristone UK



CTK Models


Product Information

- · Available in all Tristone UK stock colours
- Undermount
- \cdot Base options: standard flat stainless steel or solid surface base.
- · Available with/without overflow
- · Sink depths available in standard, 170mm and 190mm deep.
- · Technical drawings are available upon request.
- · Warranty information is available on request.
- · Solid Surface bases aren't covered by the 5 year limited warranty.
- · Accessories Included.


Model	Cabinet Compatibility
CTK0162	_
CTK0240	_
CTK0332	_
CTK0375	500
CTK0400	600mm
CTK0450	-
CTK0495	
CTK0550	


Please note: Cabinet compatibility has been provided as a guide.

All diagrams show standard flat stainless steel base models.





CTK0240 350 -120 240 264















Thermoformed Sinks


DTK0162


DTK0332 442 618 Ø115


by Tristone UK

















DTK Models

Product Information

- · Available in all Tristone® UK stock colours
- · Undermount
- · Base options: standard flat stainless steel, 20mm stainless steel or solid surface base.
- · Available with/without overflow
- · Sink depths available in standard, 170mm and 190mm deep.
- · Technical drawings are available upon request.
- · Warranty information is available on request.
- · Solid Surface bases aren't covered by the 5 year limited warranty.
- · Accessories Included.

Cabinet Compatibility	Model
	DTK0162
	DTK0332
	DTK0375
- 600mm	DTK0400
	DTK0450
	DTK0495
_	DTK0500
	DTK0550
· · · · · · · · · · · · · · · · · · ·	·

Please note: Cabinet compatibility has been provided as a guide.

All diagrams show standard flat stainless steel base models.

Thermoformed Bowls

by Tristone UK



TE Models

Product Information


- · TE Models are available in Tristone® UK stock colour series A, S, F, ST, & T.
- $\cdot \ \mathsf{Undermount}$
- · Available with/without overflow
- · Technical drawings are available upon request.
- · Warranty information is available on request.
- · Accessories Included.

Model	Cabinet Compatibility
TE0360	
TE0415	_
TE0420	_
TE0465	_
TE0470	600mm
TE0520	_
TE0525	_
TE0540	_
TE0562	_
TE0653	200
TE0656	- 800mm


Please note: Cabinet compatibility has been provided as a guide.

Due to batch variation we do not guarantee an exact colour match on all our bowl and basin models.


TE0360




TE0415




TE0420




TE0465




TE0470




TE0520




TE0525




TE0540



TE0562



TE0653




Thermoformed Bowls


by Tristone UK



TE0656



TR0250



TR Models

Product Information


- · TR Models are available in Tristone® UK stock colour series A, S, F, ST & T.
- · Undermount
- Available with/without overflowTechnical drawings are available upon request.
- · Warranty information is available on request.
- · Accessories Included.

Compatibility
500
- 600mm


Please note: Cabinet compatibility has been provided as a guide.

Due to batch variation we do not guarantee an exact colour match on all our bowl and basin models.


TR0325



TR0375



TR0445



Thermoformed Basins

by Tristone UK



TP & TL Models

Product Information


- · Available in all Tristone® UK stock colours
- $\cdot \ \mathsf{Undermount}$
- · Available with/without overflow
- · Technical drawings are available upon request.
- · Warranty information is available on request.
- · Accessories Included.

Cabinet Compatibility	Model
	TP0400
600mm	TP0500
	TP0550
800mm	TP0700
10000000	TP0800
1000mm	TP0900
1200mm	TP1100
600mm	TL0460-280


Please note: Cabinet compatibility has been provided as a guide.

Due to batch variation we do not guarantee an exact colour match on all our bowl and basin models.


TP0400




TP0500




TP0550




TP0700




TP0800




TP0900




TP1100




TL0460-280





TL0460-380




Thermoformed Basins by Tristone UK The tristone UK The tristone UK









TS, TV & TW Models


Product Information

- Available in all Tristone® UK stock colours
- · Undermount
- · Available with/without overflow
- Technical drawings are available upon request.
- Warranty information is available on request.
- · Accessories Included.

Cabinet Compatibility
_
600mm
_
800mm
600mm

Please note: Cabinet compatibility has been provided as a guide.

Due to batch variation we do not guarantee an exact colour match on all our bowl and basin models.



Thermoformed Basins

by Tristone UK



AT Models


Product Information


- · Available in all Tristone® UK stock colours
- · Top-Drop Basins
- · Available with/without overflow
- · Technical drawings are available upon request.
- · Warranty information is available on request.
- · Accessories Included.


Model	Cabinet Compatibility
ATP0400	
ATP0500	600mm
ATP0550	
ATP0700	800mm
ATP0800	1000mm
ATP0900	1000mm
ATP1100	1200mm
ATLO560	600mm


Please note: Cabinet compatibility has been provided as a guide.


Due to batch variation we do not guarantee an exact colour match on all our bowl and basin models.






















Thermoformed Sinks, Bowls, Basins Warranty

5 year limited warranty

General Terms and Conditions

The thermoformed sinks and bowls come with a 5-year limited warranty.

The warranty does not cover any damages incurred after use which includes scratches, especially on solid surface bottom sinks. Any damages caused by improper use of the mouldings. Faults in case of an inappropriate further processing by the fabricator. Care is taken to ensure our sinks & bowls leave the factory in excellent condition. Any faults or defects should be notified to the office before fitting.

Thermoformed Sinks [CTK/DTK/TK Models] Solid surface bases do not conform to CE standards according to DIN14688th, thus, neither Tristone UK Limited nor the manufacturer can assume any liability for failure of the product after installation.

For more information about Warranty for Tristone or Thermoformed Sink/Bowl, please contact Tristone UK Limited.

Accessories for Tristone®

Applicator Gun
Compatible with 250ml Adhesives



Applicator Gun Compatible with 75ml & 50ml Adhesives



75ml Applicator Gun Plunger

Compatible with 75ml & 50ml Applicator Guns



75ml Adhesive



250ml Adhesive



Mixer Tips Compatible with 50/75ml Adhesives



Mixer TipsCompatible with 250ml Adhesives



Single Waste Kit Compatible with our sink models



Double Waste Kit

Compatible with our sink models



Caring for your Tristone® products



UNIKA Care and Maintenance Kit

1 x 500ml Solid Surface Rejuvinate

1 x 500ml Solid Surface Daily Cleaner

1 x Mircofibre Cloth

1 x Disposable gloves

1 x Sanding Foam Pad

1 x Abrasive Disc Pad - White

1 x Abrasive Disc Pad - Maroon

1 x Abrasive Disc Pad - Grey

1 x Care & Maintenance Guide



UNIKA Installation Kit

10 x 80 arit sanding discs

10 x 180 grit sanding discs

10 x 240 grit sanding discs

10 x 320 grit sanding discs

10 x 400 grit sanding discs

1 x Light Duty abrasive pad

1 x 500ml Solid Surface Rejuvinate

1 x 500ml Solid Surface Daily Cleaner

1 x Mircofibre Cloth

1 x Disposable gloves

1 x Sanding Foam Pad

1 x Abrasive Disc Pad - White

1 x Abrasive Disc Pad - Maroon

1 x Abrasive Disc Pad - Grey

1 x Care & Maintenance Guide



UNIKA Solid Surface Rejuvenate

For polishing the surface to its original finish.



UNIKA Solid Surface Daily Cleaner For daily use to maintain the surface



Countertop Cleaner

For removing stains and blemishes on the Tristone surface.

Tristone UK Limited Unit 3, Orde Wingate Way Primrose Hill Industrial Estate Stockton-On-Tees TS19 0GA

> e | info@tristoneuk.com t | +44(0)1642 616880

Copyright © Tristone UK Limited. All rights reserved.

Tristone by Lion Surfaces and its logos are registered trademarks of Tristone UK Limited in the United Kingdom.